

Intelligent Courier Packing Machine for Ecommerce

GS60D



One worker

1200 bags/h



Save Labor



High Speed



Seal Firm



Easy to Operate



Stable Performance

■ INTRODUCTION

As an intelligent high-speed courier packaging machine, developed by our own R&D team, born for e-commerce logistics users. Sets scanning code, sealing and labeling in one. It is the best integrated packaging solution for se-commerce logistics. According to customer's needs, it can interface mainstream ERP system, WMS system, weigher, sorter and delivery platform. Providing customers with plastic film packaging delivery solutions in the meantime.

■ CHARACTERISTICS

- **No mistake:** One scanning one printing/labeling, avoid mistake
- **Cut packing cost:** One worker 1200 bags per hour
- **Kersten antistatic:** Modern science and technology measures, eliminates electrostatic hazards, using smoothly and efficiently.
- **High safety:** Prevent: Crushing, Scalding and Misoperation, safe for using



■ PARAMETERS

Model	GS60D
PE bag size	PE bag roll Thickness: 0.04-0.08mm Width: 100-550mm Length: 240-700mm
Label size	Width: 40-100mm Length: 60-180mm
Packing Speed	Max: 1200 bags/H
Human-computer interface	Mouse、Touch screen、Virtual keyboard
Displayer	15" LCD
External communication	Ethernet, USB, RS232
Power Supply	AC220V, 50/60Hz Power :1500W
Air pressure	0.07m ³ /min, 4- 5Kg/cm ²
Machine size	Length: 1680mm Width:850mm Height: 1420mm
Machine weight	320Kg

● Details



Printer

High-performance, uninterrupted operation, continuous printing 30 km

Human-computer interface

Self-R&D system, omni-directional monitoring of all parts of the machine, convenient and quick troubleshooting.



Feeding Trough

Trough support can be adjusted to suit bag specifications.

Automatic blowing system

With upper and two sides of the air blowing system, upper air blowing easily open the bag, convenient to put the product in, at the same time, the two sides of the air blowing system start, prevent the express bag sticking to the splint.



● Details




Seal cutting knife

The sealing knife specially developed according to the characteristics of the express bag, quickly preheated, no mucous membrane, no bag broken, to ensure that the sealing is firm and beautiful.

Conveyor belt

Conveyor belt line designed with corrosion-resistant, anti-static materials, smoothly delivery.




Simple operation panel

Can be completely mastered with one training, easy to learn.

Precision parts

Precision motor processing equipment, low noise, stable performance, high efficiency



■ CONFIGURATION

Item	Brand
Rotating cylinder	SMC
Solenoid valve	Air Tac
Guide	Hiwin
Speed regulation valve	Air Tac
On / Off	MEAN WELL
Intermediate relay	IDEC
Circuit breaker	Schneider
Ac contactor	Schneider
Amplifier	OMRON
Fiber optic sensor	OMRON
PLC	Siemens
Printer	SATO
Proximity switch	SICK
Start button (Normally open)	IDEC
Abrupt stop switch (Normally closed)	IDEC



- Computer operating screen
- 1.5 square meters of floor area
- Wear resistant conveyor belt
- Intelligent sack
- Automatic printing sheet and adhesive
- Save time and effort

GURKI

pressnet@pressnet.com.au

0412 720060